

Ampere Altra Developer Platform

COM-HPC Server Type Size E Reference Development Platform based on Ampere[®] Altra[®] SoC



Features

- Ampere[®] Altra[®] SoC (Arm Neoverse N1 architecture)
- 32/64/96/128 cores
- DDR4 with 6 individual memory channels (32/64/128GB)
- 64 PCIe Gen4 lanes (3 x16, 2 x4, and 2 M.2 slots)
- Open source firmware (EDKII bootloader with TianoCore/UEFI)
- Arm SystemReady SR, Ubuntu Server 20.04 certified

Specifications

Components	Computer-on-Modue	COM-HPC Server Type module with Ampere® Altra® 32/64/96/128-cor
		SoC with open source EDKII compliant with PICMG COM-HPC: Rev 1.0
	Carrier Board	COM-HPC Server Base in extended ATX form factor
	Memory	32/64/128GB DDR4 RDIMM memory with individual memory channels
	Storage	128/512GB NVMe M.2 SSD
Front I/O	USB	2x USB 3.0/2.0/1.1
	LED button	Toggles through the LED lighting modes of the 5 ARGB system fans
	Power button	Turns the system on/off
	Audio port	Inactive
Rear I/O	GbE	Intel [®] MAC/PHY based on Intel [®] Ethernet Controller I210 Interface: 10/100/1000 Mbit/s Ethernet connection
	Mgt. GbE	Up to 100 Mbit/s based on Intel [®] I210 and AST2500, with out of band management (TBD)
	USB	4x USB 3.0/2.0/1.1
	VGA	Analog VGA display
	Serial	Serial console for debugging
	Power input	100-240V
	Power switch	Runs power to the system (without booting up)

Specifications

Power	PSU	750 watts
Cooling Solution	Liquid Cooler	Pump and radiator with single/dual fan
Operating Systems	Preinstalled	Ubuntu Server 20.04.3
	Standard Support	Windows PE (10.0.22000.1), VMware ESXi-Arm Fling v1.8, Fedora Server 35, FreeBSD 13.0-RELEASE, CentOS Stream 9
Mechanical	Dimensions	492mm x 220mm x 441mm (HxWxD)

Ordering Information

Module Number	Description/Configuration	
AADP-32	Ampere Altra Q32-17 SOC, 2x 16GB DDR4 DRAM, 128GB M.2 SSD, Tower Chassis with Liquid Cooling, 750-watt power supply	
AADP-64	Ampere Altra Q64-22 SOC, 4x 16GB DDR4 DRAM, 128GB M.2 SSD, Tower Chassis with Liquid Cooling, 750-watt power supply	
AADP-96	Ampere Altra M96-28 SOC, 6x 16GB DDR4 DRAM, 256GB M.2 SSD , Tower Chassis with Liquid Cooling, 750-watt power supply	
AADP-128	Ampere Altra Max M128-26 SOC, 6x 16GB DDR4 DRAM, 256GB M.2 SSD , Tower Chassis with Liquid Cooling, 750-watt power supply	

*For SKUs not listed, please contact your ADLINK representative for availability.



All products and company names listed are trademarks or trade names of their respective companies. Updated Aug. 16, 2023. ©2023 ADLINK Technology, Inc. All Rights Reserved. All pricing and specifications are subject to change without further notice.